




HOW OUTDOOR LIVING SHOULD FEEL

**Trex**<sup>®</sup>



**Trex**<sup>®</sup>





# GREAT OUTDOORS

## Imagine a deck that won't fade, stain, rot or split

Trex is the most weather-resistant, low-maintenance composite decking product on the market. In fact, the material won't warp or splinter, will never require staining or painting, is fade, stain, mould and scratch-resistant and will still look good in 25 years' time.

Each year, Trex recycles 1.5 billion shopping bags and hasn't felled a single tree for deck manufacture during its 20-year history.

Trex is the ideal solution for those seeking a high performance, low maintenance deck solution.



- / Never needs painting or oiling
- / Won't fade or stain
- / Easy to install
- / Screw-less finish
- / Realistic wood grain effect
- / Made from 95% recycled materials
- / 25 year limited residential warranty
- / 10 year limited commercial warranty



## THE SECRET IS IN THE SHELL

The signature Trex shell combines high performance, low maintenance and a deep, realistic wood grain effect. Trex's protective shell covers the board on three sides, offering superior weather protection while still allowing your deck to breathe, adding to its durability.





## High performance, low maintenance



For more than 20 years Trex has developed, defined and perfected wood-alternative decking. The Trex decking range is the ultimate combination of fade-resistant beauty with outstanding durability and low maintenance. Never needs painting, oiling or staining.



Trex composite decks are made of 95% recycled sawdust and plastic packaging, providing unparalleled durability while being environmentally friendly. Additionally Trex uses some of the most earth-friendly manufacturing processes available, reclaiming factory waste and eliminating the use of harmful chemicals.



Trex composite deck boards are wrapped on three sides in a high-performance protectant shell that resists fading, staining, rot and splitting. By allowing the board to breathe and moisture to escape a stable and long-lasting deck is achieved, ensuring your Trex deck will look as fresh as your garden for years to come.



Grooved edge Trex boards can be used with the Trex Hidden Fastening System which provides the ultimate screwless finish. It is also quick and simple to install.



Trex decking comes complete with a Trex limited warranty. This guarantees the product for 25 years if used in a residential area, and 10 years in a commercial setting.



# Trex Transcend®

## Our signature range

The original and best-selling range, Transcend® features the renowned high-performance Trex shell. It has a realistic woodgrain effect and provides superior weather protection which preserves the natural wood look for years to come.


The Trex Transcend® range is the ultimate combination of fade-resistant beauty with outstanding durability and none of the maintenance associated with a timber deck.

It is available in six nature inspired colours and comes with a 25 year residential and 10 year commercial limited warranty.

The innovative shell provides wear resistance for high traffic areas and a deeper grain finish.

Trex shell offers enhanced stain, fade and scratch resistance.

Solid core improves durability and does not crack or break like hollow profiles.



Board protected on three sides for superior weather protection and also allows the board to breathe.

Core is made of 95% recycled content.

Trex shell is a proprietary custom blend of nine elements which deliver a natural, low sheen.



*Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.*

# TIKI TORCH

Trex Transcend®



A warm, earthy shade featuring striking rich, reddish-brown hardwood streaking



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty

# GRAVEL PATH

Trex Transcend®



Gravel path is a pristine, stony grey. Inspired by nature the deep woodgrain pattern delivers a serene, contemporary look



Realistic wood-grain effect



Grooved boards



Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty



# LAVA ROCK

Trex Transcend®



BORDER IN TIKI TORCH

Reddish black hardwood streaking creates a deep and evocative setting for long, hot summer barbecues



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty

# ISLAND MIST

Trex Transcend®



This calm, silvery shade mimics the natural look and feel of aged tropical hardwood



Realistic wood-grain effect



Grooved boards



Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty



# SPICED RUM

Trex Transcend®



The warm umber hue feels rich and earthy adding a touch of the Caribbean to any home



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty




Limited residential warranty

---

# VINTAGE LANTERN

---

Trex Transcend®



BORDER IN TIKI TORCH

A deep burnished bronze, inspiring old world elegance, and stunning with any style or setting



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available




Limited commercial warranty



Limited residential warranty





# Trex Contour®

## Performance and value

Trex Contour® composite deck boards feature a minimalist surface texture, with our standard grade Trex shell. With a scalloped under surface, it's a great combination of value and performance.

It is available in a limited range of two colours and comes with a 25 year residential and 10 year commercial limited warranty.

The Contour® shell provides a minimalist surface texture, alongside low-slip qualities.

Standard shell offers enhanced stain, fade and scratch resistance.

Solid core improves durability and does not crack or break like hollow profiles.



Board protected on three sides for superior weather protection and also allows the board to breathe.

Core is made of 95% recycled content.

Scalloped underside provides a great combination of value and performance.



Pebble Grey



Torino Brown

*Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.*

PEBBLE GREY

Trex Contour®



Exquisite warm grey tone, with beautifully placed wood grain streaking



Minimalist surface texture



Grooved boards



Square boards



3.66m lengths



4.88m lengths\*



10 YEAR Limited commercial warranty



25 YEAR Limited residential warranty

\*4.88m lengths not available in square edge option

---

## TORINO BROWN

---

Trex Contour®



Deep rich honey brown with warm wood tones  
with classic wood grain streaking



Minimalist  
surface  
texture



Grooved  
boards



Square  
boards



3.66m  
lengths



4.88m  
lengths\*



10  
YEAR  
Limited  
commercial  
warranty



25  
YEAR  
Limited  
residential  
warranty



\*4.88m lengths not available in square edge option



# COMMERCIAL

## Trex offers an ideal solution for commercial decking

With its inherent environmentally friendly, low-maintenance, long-life qualities, Trex is the perfect partner for commercial installations, whether your decking project is taking place at a school, park, in an office break area or around a restaurant, pub or nightclub.

Trex Contour® was designed to comply with BS7976-2: 2002 by meeting the HSE's recommendation for low-slip potential, achieving a minimum reading of 36 on the pendulum test in both wet and dry conditions. This means the range is ideal for those areas where you need extra grip properties, such as steps and ramps, or even for a complete deck.

For in-depth test results, further advice and support please contact us.



Limited  
commercial  
warranty



Low-slip  
decking  
solution

# TREX RAILING SYSTEM

## Combining safety and style

Generally, wherever there's decking, there's railing and when you're installing a low-maintenance, long lasting deck, you need a railing system to match. The Trex Signature® aluminium solution provides a durable and stylish outdoor railing system.

### Trex Signature® railing

Trex Signature® is a powder coated aluminium railing system, perfect for a minimal and contemporary look.

Its sleek-yet-sturdy construction and near-zero maintenance, fits perfectly with the Trex ethos.




Limited  
warranty



*Charcoal Black*



*New: Bronze*



# SPECIFICATION

**Trex** Transcend®

Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.



Island Mist

	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Grooved edge		25mm x 140mm	3.66m	gTRGBIM366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBIM488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBIM366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBIM488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1IM366	20.9m <sup>2</sup> / 60 boards
		14mm x 286mm	3.66m	gTRF2IM366	31.4m <sup>2</sup> / 40 boards



Tiki Torch

Grooved edge		25mm x 140mm	3.66m	gTRGBT366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBT488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBTT366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBTT488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1TT366	20.9m <sup>2</sup> / 48 boards
		14mm x 286mm	3.66m	gTRF2TT366	31.4m <sup>2</sup> / 48 boards



Spiced Rum

Grooved edge		25mm x 140mm	3.66m	gTRGBSR366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBSR488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBRSR366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBRSR488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1SR366	20.9m <sup>2</sup> / 60 boards
		14mm x 286mm	3.66m	gTRF2SR366	31.4m <sup>2</sup> / 40 boards



Lava Rock

Grooved edge		25mm x 140mm	3.66m	gTRGBLR366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBLR488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBLR366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBLR488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1LR366	20.9m <sup>2</sup> / 60 boards
		14mm x 286mm	3.66m	gTRF2LR366	31.4m <sup>2</sup> / 40 boards

## ACCESSORIES



Universal Hidden Fasteners (gTRCLIPa)  
Use with grooved deck boards  
90 clips per box. Covers 4.5m<sup>2</sup>



Starter Clips (gTRCLIPb)  
Use with grooved deck boards  
36 clips per box. Covers 36m<sup>2</sup>



Dark Brown Screws (gTRSCREW70VL)  
Use with square edge boards, colours:  
Vintage Lantern, Lava Rock, Spiced Rum  
63mm length. 350 per box. Includes drill bit.

Grey Screws (gTRSCREW70GP)  
Use with square edge boards, colours:  
Gravel Path, Island Mist, Pebble Grey  
63mm length. 350 per box. Includes drill bit.

Brown Screws (gTRSCREW70TH)  
Use with square edge boards, colours:  
Tiki Torch, Torino Brown. 63mm length.  
350 per box. Includes drill bit.

# SPECIFICATION

## Trex Transcend®

Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.



Vintage  
Lantern

	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Grooved edge		25mm x 140mm	3.66m	gTRGBVL366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBVL488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBVL366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBVL488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1VL366	20.9m <sup>2</sup> / 48 boards
		14mm x 286mm	3.66m	gTRF2VL366	31.4m <sup>2</sup> / 40 boards



Gravel  
Path

Grooved edge		25mm x 140mm	3.66m	gTRGBGP366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBGP488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBGP366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBGP488	33.5m <sup>2</sup> / 48 boards
Fascia board		14mm x 184mm	3.66m	gTRF1GP366	20.9m <sup>2</sup> / 60 boards
		14mm x 286mm	3.66m	gTRF2GP366	31.4m <sup>2</sup> / 40 boards


# SPECIFICATION

## Trex Contour®



Pebble  
Grey

	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Grooved edge		25mm x 140mm	3.66m	gTRGBPG366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBPG488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBPG366	25.0m <sup>2</sup> / 48 boards



Torino  
Brown



Grooved edge		25mm x 140mm	3.66m	gTRGBTB366	25.0m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBTB488	33.5m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBTB366	25.0m <sup>2</sup> / 48 boards

## Trex® TIPS

### About the substructure

- ✓ Timber, composite, aluminium or steel joists are acceptable materials for the substructure of a deck. The substructure must be fixed down to provide a strong base and drainage, access and airflow are also critical.
- ✓ The substructure must be a minimum height of 38mm from the ground. For areas with the potential for debris to build up, a minimum 89mm is recommended to allow the debris to be removed.
- ✓ The joist centres for residential decks must be a maximum of 400mm.
- ✓ The joist centres for all commercial decks must be a maximum of 300mm.
- ✓ When boards are end-to-end and meet at a joist, use side-by-side sister joists to support the end of both boards.
- ✓ It's a good idea to paint the joists before installing the boards so that they're not visible from the surface.

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for our downloadable installation guide

PRODUCT NAME	WIDTH x LENGTH x HEIGHT	PRODUCT CODE	PRODUCT DESCRIPTION	PRODUCT NAME	WIDTH x LENGTH x HEIGHT	PRODUCT CODE	PRODUCT DESCRIPTION
 <p>1</p>	63mm x 63mm x 1.090m	Black: gTRSHPB Bronze: gTRSHPBZ	Includes post, cap and skirt. Aluminium plate and hardware (gTRSAP) is required if you are fitting this to a timber or composite deck.	 <p>2</p>	64mm x 64mm x N/A	gTRSAP	Required for installation for all Signature posts, on all timber and composite decks*. <i>*Not required when installing posts into concrete.</i>
	63mm x 63mm x 1.090m	Black: gTRSHXPB Bronze: gTRSHXPBZ	Includes post, skirt and crossover bracket. Aluminium plate and hardware (gTRSAP) is required if you are fitting this to a timber or composite deck. Used in place of a Horizontal Post when joining two rail kits together and looking for a seamless run between two kits.	 <p>3</p>	45mm x 1.82m x 1.090m	Black: gTRSRKHB Bronze: gTRSRKHBZ	Includes top rail, bottom rail, infill kit, balusters and all brackets to fit the railing to the post. Includes square balusters (13 per kit).
	N/A	Black: gTRSGTHW	Used to attach the Adjustable Gate to the Aluminium Post. Includes two adjustable self-closing hinges, one locking hasp with keys. Only available in black.		N/A	Black: gTRSBHBB Bronze: gTRSBHBBZ	Extra brackets - required when a horizontal railing kit is cut and additional posts are to be fitted. These are the same brackets that are included in the horizontal rail kit. Four brackets per pack.
 <p>1, 2, 3</p>			<p>Trex Signature railing is a 3-step process. Purchase a Signature aluminium post (1) (which includes a cap and skirt), an aluminium plate (2) to secure the post to the decking and a rail and baluster kit (3).</p> <p>Visit <a href="http://www.arbordeck.co.uk/downloads">www.arbordeck.co.uk/downloads</a> and have a look at our installation guide for advice on fitting your deck rail.</p>		N/A	Black: gTRSSBHB Bronze: gTRSSBHBZ	Required when installing Signature railings and the angle between kits is NOT 90°. Two brackets per pack.

# SPECIFICATION

# RAILING

# TrexSignature®

Trex Signature® Railing is available in Charcoal Black and Bronze. Colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.

PRODUCT NAME	WIDTH x LENGTH x HEIGHT	PRODUCT CODE	PRODUCT DESCRIPTION	PRODUCT NAME	WIDTH x LENGTH x HEIGHT	PRODUCT CODE	PRODUCT DESCRIPTION
 <p>Signature aluminium post with cap &amp; skirt - stair rail</p>	63mm x 63mm x 1.340m	Black: gTRSSPB Bronze: gTRSSPBZ	Includes post, cap and skirt. Aluminium plate and hardware (gTRSAP) is required if you are fitting this to a timber or composite deck. <i>Can be used when the height of the deck is above 600mm.</i>	 <p>Swivel bracket set - stair</p>	N/A	Black: gTRSSBSB Bronze: gTRSSBSBR	Required when installing Signature railings and the angle of the stairs is not between 32°-37°. Two brackets per pack.
 <p>Crossover swivel bracket. Works with stair rail post</p>	N/A	Black: gTRSSWXB Bronze: gTRSSWXBZ	To be used in conjunction with a stair rail post when joining two stair rail kits together and looking for a seamless run between two kits. Includes stair swivel crossover bracket and post to bracket fasteners.	 <p>Signature aluminium rail kit with square balusters - stair rail</p>	45mm x 1.82m x 1.090m	Black: gTRSRKSB Bronze: gTRSRKSBZ	Includes top rail, bottom rail, infill kit, balusters and all brackets to fit the railing to the post. Brackets included are suitable for stair angles of 32°-37°. If angles are outside 32°-37° a stair swivel brackets kit is required (gTRSSBSB/gTRSSBSBR).
 <p>Extra fixed bracket set - stair</p>	N/A	Black: gTRSFBSB Bronze: gTRSFBSBZ	Extra brackets - required when a stair railing kit is cut and additional posts are to be fitted. These are the same brackets that are included in the stair rail kit. Four brackets per pack.	 <p>Adjustable gate</p>	121mm x 63mm x 1.090m	Black: gTRSGTB	Can be customised to fit nearly any opening up to 48 inches wide. Only available in black.

# TrexPRO®

**ARE YOU A DECK INSTALLER? GROW YOUR BUSINESS WITH TREX® - THE WORLD'S #1 DECKING BRAND**

- / Gives customers confidence in your service
- / Website and telephone referrals
- / Access to warranty registration
- / Access to marketing support and materials

Trex® is one of the fastest growing products in the landscaping sector. Become a TrexPRO® certified installer and maximise your opportunity. For more information or to request an application form please get in touch.



# Trex®

Trex Transcend is available exclusively from Arbor Forest Products Ltd, a British company with more than 175 years' experience in the timber industry, a clear environmental focus and the very highest levels of service, quality, knowledge and value.

#### How to buy Trex®

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for more information on our wide range of composite Trex® deck products, or contact us by phone, fax, as below, or email us on [sales@arborforestproducts.co.uk](mailto:sales@arborforestproducts.co.uk)

#### How to build Trex®

Are you a DIY enthusiast? Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for help and advice. Alternatively contact us by phone, fax or email for a brochure to be posted to you.

If you would like your deck professionally installed please contact us or visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for more information on our network of installers.

**arborforest**  
Products Ltd

**Arbor Forest Products Ltd**  
Barrow Road, New Holland  
North Lincolnshire DN19 7RR

Tel 01469 532 300  
Fax 0844 801 33 37  
Email [sales@arborforestproducts.co.uk](mailto:sales@arborforestproducts.co.uk)  
Web [www.arbordeck.co.uk](http://www.arbordeck.co.uk)

Thank you to the following designers, installers and organisations for the use of project photography in this brochure:

**Arbordeck:**  
Distinctive Landscapes, Mansfield  
GMS Leisure Limited, Truro  
Timberscapes, Sheffield

**Trex:**  
Gisborne Homes, Derby  
Trex Company, Inc.  
Whalley Construction, Darwen  
Island Landscape, Isle of Man

#### Join the conversation



@\_arbordeck



[www.pinterest.com/arbordeck](http://www.pinterest.com/arbordeck)



[www.facebook.com/arbordeck](http://www.facebook.com/arbordeck)

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow.

The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.