

A)VOCATE

POSTER DISPLAY SIGN



- Large display area spacious 30(w) x 40(h) inch (762mm x 1016mm) poster maximises visual impact. Posters can be easily changed, providing a cost-effective way of advertising your products or promoting your company.
- **Robust construction** manufactured from tough, corrosion resistant Durapol® material, offering exceptional strength and a long service life.
- Security magnets offer a strong all round fixing, securing the poster in position. The magnets and gasket act as an effective seal helping minimise water ingress.



 Ballasted base - MUST be filled with water or sand for maximum performance. (See back page for MIRA Testing)







 Large curved base strong, robust and impact resistant.



 Unique fixing method - nylon fixing pegs secure the body of the unit to the base. (Patent pending)



 Wall mounted model - a permanently fixed unit to create a co-ordinated range.



 Two piece design - simple self assembly for ease of transportation and storage before use.






Display your advertising posters in style with this extremely robust, low maintenance, easy to use unit.



PEasy to use press-studs located on the top of the body holds the clear



 Stainless Steel poster clips hold the poster in place before closing the clear polycarbonate protector.



 Clear polycarbonate protector offers protection to the poster from weather and graffiti and helps secure poster in position.



- A clean and tidy display is created with the use of magnetic strips to secure posters in position.
- Strong and robust rubber wheels allows the unit to be manoeuvred when ballasted.



- Recessed personalisation areas to promote your company.
- Two fixing points allow the unit to be fixed to a wall/post for maximum security.
- Fluorescent sticker area to



improve visibility of the unit in darkness.



Wind Tunnel Testing at MIR

Tested in the MIRA wind tunnel, Advocate withstood speeds up to 82mph (Hurricane Force) and remained in position and undamaged. Scan the **QR** code




or view on









Specifications

Dimensions

Height:1525mm Width:885mm Depth:.....775mm Weights: Body and Base: Body and Base with Ballast (Water):.....98kg Body and Base with Ballast (Kiln Dry Sand):...98kg Body (Wall Mounted):.....

Materials

Body:.....Durapol®* material Base: Durapol

Clear Protector:.. Polycarbonate with Printed Border

Magnetic Strips: Magnet Metal Strip:..... Stainless Steel Gasket:.....Acrylic Poster Clips: Stainless Steel Press Studs: Brass Fixing Pegs:......Nylon Tube Wheels:.....Rubber Axles: Stainless Steel Fill Port Cap:Rubber

Colour

Body and Base: .. Anthracite Grey Printed Border:... Black

Model Options

Single Sided Model Double Sided Model Wall Mounted Model

Personalisation

We can supply you with a 30(w) x 40(h) inch (762 x 1016mm) poster or if you prefer you can use your own. Posters can be easily changed, providing a cost-effective way of advertising your products or promoting your company.

Printable Area

Please allow a 20mm space on all four edges of the poster to ensure the printed border on the clear polycarbonate protector does not cover information.



Our national distribution network ensures prompt delivery in mainland UK and Northern Ireland. All our prices are carriage-free on the mainland and Northern Ireland, only VAT

*Durapol® material is a polymer formulated to withstand extremes of temperature and is impact-tested in our Quality Assurance Laboratory as part of our BS EN ISO 9001:2008 test procedure. Durapol will not chip or rust, is easy to clean and never needs painting.

How to order



Phone: 01253 600410



Fax:

01253 792558



e-mail:

sales@glasdon-uk.co.uk

Visit Our Website

To see the full Glasdon product range visit

www.glasdon.com





FREE DELIVERY

*Does not apply to Buildings and Shelters **MINIMUM ORDER CHARGE**

To help offset the cost of packing, administration and delivery, there is a small narge of £5 on orders below the value of £50

will be added.





BLACKPOOL Lancashire FY4 4UL

Tel: (01253) 600410 Fax: (01253) 792558 e-mail: sales@glasdon-uk.co.uk web: www.glasdon.com





