



Aruba Triangle




















Aruba Triangle is an exciting addition to the Aruba product family. These suspended ceiling tiles are cut into isosceles triangles and are available in 35 exciting colours, allowing you to create acoustic ceilings that make a real design statement.

Key Features

Aruba Triangle is a unique decorative ceiling tile that doesn't compromise on technical performance.

- With Class C sound absorption and excellent sound attenuation, it's a striking addition to any interior
- The triangular shape makes this ceiling tile particularly useful for wayfinding and zoning when used in combination with coloured tiles
- Compatible with Zentia's Prelude 24 suspended ceiling grid using a standard main runner, a unique cross tee and an innovative angled nodal bracket



Edge Detail	Board																																												
																																													
Thickness (mm)	15																																												
Modules (mm)	1162 x 1010 TT5461M4																																												
Suspension Systems	Prelude 24 XL ² / TLS Prelude 24 Sixty ² XL ² / TLS																																												
Colour	Global White as standard. Refer to colour range for all colours																																												
Sustainability	 44		 A	 EN 13964 / E1																																									
Acoustics	<div><div> EN ISO 354 & EN ISO 11654</div><div> EN ISO 10848-2 & EN ISO 717-1</div></div> <table><thead><tr><th></th><th>α_w</th><th>D_{nfw}</th><th>Class</th><th>NRC</th><th>125</th><th>250</th><th colspan="5">Hz α_p</th></tr><tr><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>500</th><th>1000</th><th>2000</th><th>4000</th></tr></thead><tbody><tr><td>Triangle Board</td><td>0.60</td><td>34 dB</td><td>C</td><td>0.55</td><td>0.35</td><td>0.45</td><td>0.60</td><td>0.60</td><td>0.60</td><td>0.60</td></tr></tbody></table>												α_w	D _{nfw}	Class	NRC	125	250	Hz α_p												500	1000	2000	4000	Triangle Board	0.60	34 dB	C	0.55	0.35	0.45	0.60	0.60	0.60	0.60
	α_w	D _{nfw}	Class	NRC	125	250	Hz α_p																																						
							500	1000	2000	4000																																			
Triangle Board	0.60	34 dB	C	0.55	0.35	0.45	0.60	0.60	0.60	0.60																																			
Fire Reaction	<div><div>Euroclass A2-s1, d0 EN 13501-1</div></div>																																												
Performances & Features	<div><div>85%</div></div>	<div><div>95% RH</div></div>	<div></div>	<div></div>	<div><div>Lifetime Guarantee</div></div>			<div><div>30 Year System Guarantee</div></div>																																					
	<div><div>Kg</div></div>	<div></div>	<div></div>	<div><div>BIM READY</div></div>																																									

Colour Range

To specify a colour, simply add the appropriate suffix from the provided colour palette to the item code.

Example: BPTT5461M4 Aruba Triangle (White) to BPTT5461M4OR1 Aruba Triangle (RAL2009/Orange)

 WH1 RAL 9003	 BL5 RAL 260 90 05	 GR5 RAL 130 90 10	 YE3 RAL 080 90 10	 OR3 RAL 050 90 10	 RE5 RAL 010 90 10	 PU5 RAL 340 90 05	 BR4 RAL 050 70 10
 GY1 RAL 000 85 00	 BL4 RAL 260 80 15	 GR4 RAL 130 80 30	 YE2 RAL 075 80 40	 OR2 RAL 050 80 30	 RE4 RAL 020 80 20	 PU4 RAL 340 80 20	 BR3 RAL 050 70 20
 GY2 RAL 000 65 00	 BL3 RAL 260 50 25	 GR3 RAL 140 50 30			 RE3 RAL 020 60 40	 PU3 RAL 340 60 35	 BR2 RAL 040 30 30
 GY3 RAL 000 30 00	 BL2 RAL 260 30 20	 GR2 RAL 140 30 20			 RE2 RAL 020 30 40	 PU2 RAL 340 30 30	 BR1 RAL 8004
 BK1 RAL 9005	 BL1 RAL 5015	 GR1 RAL 6037	 YE1 RAL 1003	 OR1 RAL 2009	 RE1 RAL 3020	 PU1 RAL 4006	

We recommend ordering a full colour sample prior to specification and ordering. If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com.

Please note that even though great care has been taken to ensure correct colour match, colours can only be as accurate as the printing process allows.

Every monitor or mobile display has a different capability to display colours, and every individual may see these colours differently.



Order a sample

If you would like to order a sample or have any queries about this product please contact our Technical Sales Team on **0800 371 849** or email enquiries@zentia.com

TDS 139.1.06.23